StarTech.com 4PORT-8K-HDMI-SWITCH video switch

Brand : StarTech.com

Product code: 4PORT-8K-HDMI-SWITCH

Product name : 4PORT-8K-HDMI-SWITCH



StarTech.com 4-Port 8K HDMI Switch, HDMI 2.1 Switcher 4K 120Hz HDR10+, 8K 60Hz UHD, HDMI Switch 4 In 1 Out, Auto/Manual Source Switching, Power Adapter and Remote Included
StarTech.com 4PORT-8K-HDMI-SWITCH. Video port type: HDMI, USB port type: Micro-USB. Material: Metal, Product colour: Black, Maximum operating distance: 5 m. AC input voltage: 100 - 240 V, AC adapter input current: 0.3 A, AC adapter output voltage: 5 V. Width: 61 mm, Depth: 136 mm, Height: 14 mm. Package width: 123 mm, Package depth: 179 mm, Package height: 50 mm



Ports & interfaces	
Video port type *	HDMI
HDMI ports quantity	5
HDMI version	2.1
HDMI in	4
Number of HDMI outputs	1
USB port type	Micro-USB

Features	
Material	Metal
Product colour	Black
High Dynamic Range (HDR) supported	✔
Plug and Play	✔
HDCP	✔
Maximum operating distance	5 m
Supported graphics resolutions	1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1080, 2560 x 1440, 3440 x 1440, 4096 x 2160, 5120 x 1440, 7860 x 4320
Bandwidth	48 Gbit/s
LED indicators	✔
External power adapter	✔
Audio output channels	7.1 channels
Dolby technologies	DTS-HD Master Audio, DTS:X, Dolby Atmos, Dolby TrueHD
HDCP version	2.3

Power	
AC input voltage	100 - 240 V
AC adapter input current	0.3 A
AC adapter output voltage	5 V

Weight & dimensions	
Width	61 mm
Depth	136 mm
Height	14 mm
Weight	150 g

Packaging data	
Package width	123 mm
Package depth	179 mm
Package height	50 mm
Package weight	420 g

Packaging content	
Mounting kit	✔
Quick start guide	✔
Remote control included	✔
Cables included	USB Type-A to Micro-USB Type-B
AC adapter included	✔

Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-10 - 80 °C
Operating relative humidity (H-H)	5 - 90%

Sustainability	
Sustainability compliance	✔

Technical details	
Compliance certificates	CE, RoHS

Logistics data	
Master (outer) case width	400 mm

Power	
AC adapter output current	1 A
Power consumption (typical)	5 W

Logistics data	
Master (outer) case length	550 mm
Master (outer) case height	280 mm
Products per master (outer) case	40 pc(s)



0065030899420



065030899420

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2026. Prints or copies of Information are only valid on the printed Publication date