Yealink

Certified for
Microsoft Teams

WH64 Hybrid Mono & WH64 Hybrid Dual

DECT Wireless Headset



English | Deutsch | Français | Español

Quick Start Guide V1.0

Please update the headset to the latest version via Yealink USB Connect (PC) before using.

Safety Guide

1. Do not disassemble the product by yourself or bring it near fire and water to avoid short circuit leakage or damage to the product.
2. Do not use the product in high temperature, humidity, and corrosive environment to avoid damaging the circuit and causing failure to charge or other failures.
3. Do not expose the product to corrosive liquids. Otherwise, it will cause severe damage.
4. Do not disassemble or re-equip the product for any reason to avoid secondary failure and burnout.
5. Do not place the product below -10°C or above 60°C.
6. Do not knock, throw or shake the product because rough methods will damage the internal circuit board structure.

1 Package List

• Standard



WHD642 Headset

or




WHM641 Headset



WDD60 Dongle



USB 2.0 Cable
(USB-A to USB-C)



Drawstring Bag




Quick Start Guide

• Optional




BHC70 Charging Stand




Replacement Ear Cushions

Note: We recommend that you use the included accessories, and other accessories may have compatibility issues that prevent them from working properly.

2 Overview


Microphone
Teams button
Voice Assistant button
Call control
Busylight
Type-C port


Volume
Next track
Mute
Volume
Previous track
Power on/off
Bluetooth

3 Pairing and Connecting Device


3.1 Headset DECT Mode

1 Connection

- **Connect to PC**




Power on state



- **Connect to IP Phone**



Power on state




Note:

1. The headset and the WDD60 are pre-paired and ready for use. In the event that the WDD60 is unpaired or bought separately, you will need to pair the WDD60 with the headset according to step 2.
2. One WDD60 can only connect to one device at a time.
3. Plug the WDD60 into a PC USB port and select it as the playback device in your operating system's audio settings.


2 Pairing (Optional)

i. Put the headset into pairing mode




ii. Put the WDD60 into pairing mode

You can connect the WDD60 to the PC or IP phone.




Note: One WDD60 can only connect to one device at a time.

iii. Pair successfully



3.2 Headset Bluetooth Mode


- **Put the headset into pairing mode**



Alternately flash blue and red


"pairing mode"

- **Pair with mobile device**



"mobile one connected"

4 Power on/off



Power Button	LED Indicator	Prompt Sound
Power on	Solid green for 2 seconds	"power on, battery low/medium/high"
Power off	Solid red for 2 seconds	"power off"

5 Charging

USB Charging



Charging Stand (optional)




Note: We recommend to fully charge the headset when using it for the first time.

LED Indicator Status

Charging






Breathing green LED indicator

Fully Charged






Solid green LED indicator

Note: It takes 1.5 hours to fully charge the headset.

6 Call Control




Item	Headset Action
Mute/unmute call	Press ❶ .
Volume up/down	Press ❹ / ❺ .
Answer call	Press ❷ .
End call	Press ❷ .
Reject call	Double-press ❷ .
Hold/unhold call	- Press ❷ for 2 sec to hold call. - Press ❷ for 2 sec or press once to unhold call.
Redial	Double-press ❷ .

7 Fit Headset


Support dual-sided wearing.








8 Replace Ear Cushions



9 Software Management



Download Yealink USB Connect from the Yealink website https://www.yealink.com/product/yuc.

1 Verpackungsinhalt

• Standard




WHD642-Headset


oder



WHM641 Headset



WDD60 Dongle



USB-2.0-Kabel
(USB-A auf USB-C)




Kordelzugbeutel




Kurzanleitung

• Optional




BHC70-Ladeständer




Ersatz-Ohrpolster

Hinweis: Wir empfehlen Ihnen, das im Lieferumfang enthaltene Zubehör zu verwenden. Bei anderem Zubehör können Kompatibilitätsprobleme auftreten, die eine ordnungsgemäße Funktion verhindern.

2 Überblick


Mikrofon
Teams-Schaltfläche
Sprachassistent-Taste
Anrufsteuerung
Busylight
Typ-C-Anschluss


Lautstärke
Nächster Titel
Stummschaltung
Lautstärke
Vorheriger Titel
An-/Ausschalten
Bluetooth

3 Gerät koppeln und verbinden


3,1 Headset DECT-Modus

1 Verbindung

- **Verbinden mit PC**




Eingeschalteter Zustand



- **Mit dem IP-Telefon verbinden**



Eingeschalteter Zustand




Hinweis:

1. Das Headset und der WDD60 sind vorab gekoppelt und einsatzbereit. Falls der WDD60 entkoppelt oder separat gekauft wird, müssen Sie den WDD60 gemäß Schritt 2 mit dem Headset koppeln.
2. Ein WDD60 kann nur eine Verbindung zu einem Gerät gleichzeitig herstellen.
3. Stecken Sie den WDD60 in einen USB-Anschluss des PCs und wählen Sie ihn in den Audioeinstellungen Ihres Betriebssystems als Wiedergabegerät aus.


2 Paarung (Optional)

i. Versetzen Sie das Headset in den Pairing-Modus




ii. Aktivieren Sie den Kopplungs-Modus des WDD60

Sie können das WDD60 mit dem PC oder dem IP-Telefon verbinden.




Hinweis: Ein WDD60 kann nur eine Verbindung zu einem Gerät gleichzeitig herstellen.

iii. Kopplung erfolgreich




3,2 Headset-Bluetooth-Modus


- **Aktivieren Sie den Kopplungs-Modus des Headsets**



- **Mit Mobilgerät koppeln**



4 An-/Ausschalten



Ein-/ Ausschaltknopf	LED-Anzeige	Signalton
Einschalten	Durchgehend grün für 2 Sekunden	"power on, battery low/medium/high"
Ausschalten	Durchgehend rot für 2 Sekunden	"power off"

5 Laden

Laden per USB



Ladeständer (optional)




Hinweis: Wir empfehlen, das Headset vor der ersten Benutzung vollständig zu laden.

LED-Anzeigestatus

Laden






Atmender grüner LED-Indikator

Vollständig geladen






Ständige grüne LED-Anzeige

Hinweis: Das vollständige Aufladen des Headsets dauert ca. 1,5 Stunden.

6 Anrufsteuerung




Artikel	Durchführen
Stummschalten/Stummschalten	Taste drücken ❶ .
Lautstärke erhöhen/verringern	Taste drücken ❹ / ❺ .
Anruf beantworten	Taste drücken ❷ .
Anruf beenden	Taste drücken ❷ .
Anrufe ablehnen	Doppelklicken ❷ .
Hold/Unhold Anruf	- Drücken Sie für ❷ Sekunden, um den Anruf zu halten. - Drücken Sie für ❷ Sekunden oder drücken Sie einmal, um den Anruf nicht zu halten.
Neuzugang	Doppelklicken ❷ .

7 Passendes Headset


Unterstützt beidseitiges Tragen.








8 Austauschen der Ohrpolster



9 Software-Verwaltung



Download über die Yealink-Homepage: https://www.yealink.com/product/yuc.

1 Contenu de l'emballage

• Standard



WHD642 Casque

ou




WHM641 Casque



Dongle WDD60



Câble USB 2.0
(USB-A vers USB-C)




Sac à cordon




Guide de
démarrage rapide

• Optionnel




Support de charge BHC70




Coussinets d'oreille de
remplacement

Remarque : Nous vous recommandons d'utiliser les accessoires inclus, car les autres accessoires peuvent présenter des problèmes de compatibilité qui les empêcheront de fonctionner correctement.

2 Vue d’ensemble





3 Apparier et connecter l’appareil


3,1 Mode Bluetooth du casque

1 Connexion

- **Connexion à un PC**




État allumé



- **Connecter au téléphone IP**



État allumé




Remarque :

1. Le casque et le WDD60 sont appairés au préalable et prêts à l’utilisation. Dans le cas où le WDD60 est déjumelé ou acheté séparément, vous devrez jumeler le WDD60 avec le casque selon l'étape 2.
2. Un WDD60 ne peut se connecter qu'à un seul appareil à la fois.
3. Branchez le WDD60 sur un port USB de votre PC et sélectionnez-le comme périphérique de lecture dans les paramètres audio de votre système d'exploitation.


2 Appariement (Facultatif)

i. Mettez le casque en mode de jumelage



ii. Placer le WDD60 en mode d'appariement

Vous pouvez connecter le WDD60 au PC ou au téléphone IP.




Remarque : Un WDD60 ne peut se connecter qu'à un seul appareil à la fois.

iii. Appariement réussi



3,2 Mode Bluetooth du casque


- **Placer le casque en mode d'appariement**



- **Associez-le à un appareil mobile**



4 Allumer/Éteindre



Bouton d'alimentation	Voyant LED	Prompt Sound
Allumer	Vert fixe pendant 2 secondes	"power on, battery low/medium/high"
Éteindre	Solid red for 2 seconds	"power off"

5 Recharge

Charge USB



Support de charge (optionnel)




Remarque : Nous recommandons de recharger complètement le casque avant de l'utiliser pour la première fois.

État du voyant LED

Recharge






Indicateur LED vert de respiration

Complètement chargé






Indicateur LED vert fixe

Remarque : La recharge complète du casque prend environ 1,5 heures.

6 Contrôle des appels




Élément	Effectuer
Appels muets / non muets	Appuyez sur ❶ .
Volume haut/bas	Appuyez sur ❹ / ❺ .
Répondre à un appel	Appuyez sur ❷ .
Fin de l 'appel	Appuyez sur ❷ .
Rejeter un appel	Appuyez deux fois sur ❷ .
Appel de maintien / déblocage	- Appuyez pendant ❷ secondes pour maintenir l'appel. - Appuyez pendant ❷ secondes ou appuyez une fois pour débloquer l 'appel.
Recomposer	Appuyez deux fois sur ❷ .

7 Casque ajusté


Supporte le port double face.








8 Coussinets d'oreille de remplacement



9 Gestion du logiciel



Téléchargez-le sur le site Web de Yealink à l'adresse https://www.yealink.com/product/yuc.

1 Lista de paquetes

• Estándar



Auriculares WHD642

o




Auriculares WHM641




Dongle WDD60



Cable USB 2.0
(USB-A a USB-C)



Bolsa con cordón




Guía de inicio
rápido

• Opcional




Soporte de carga BHC70




Almohadillas de repuesto para
los oídos

Nota: Recomendamos que use los accesorios incluidos, y otros accesorios pueden tener problemas de compatibilidad y pueden afectar el funcionamiento.

2 Resumen


Micrófono
Botón de equipos
Botón Asistente de voz
Control de llamada
Luz de ocupado
Puerto tipo C


Volumen
Siguiente canción
Silencio
Volumen
Canción anterior
Encender/Apagar
Bluetooth

3 Emparejamiento y conexión de dispositivo


3.1 Modo DECT

1 Conexión

• Conectar al PC




Estado de encendido



• Conectarse IP teléfono



Estado de encendido




Nota:

1. El auricular y el WDD60 están preemparejados y listos para usar. En caso de que el WDD60 esté desemparejado o se compre por separado, necesitará emparejar el WDD60 con el auricular según el paso 2.
2. Un WDD60 solo puede conectarse a un dispositivo a la vez.
3. Conecta el WDD60 a un puerto USB del PC y selecciónalo como el dispositivo de reproducción en la configuración de audio de tu sistema operativo.


2 Emparejamiento (Opcional)

i. Pon los auriculares en modo de emparejamiento



ii. Ponga el WDD60 en modo emparejamiento

Puede conectar el WDD60 a la PC o al teléfono IP.




Nota: Un WDD60 solo puede conectarse a un dispositivo a la vez.

iii. Emparejado con éxito




3.2 Modo auricular Bluetooth


- **Poner el auricular en modo emparejamiento**



- **Emparejar con dispositivo móvil**



4 Encender/Apagar



Botón de encendido	Indicador LED	Sonido de aviso
Encendido	Verde fijo durante 2 segundos	"power on, battery low/medium/high"
Apagar	Rojo sólido durante 2 segundos	"power off"

5 Cargando

Cargando USB



Soporte de carga (opcional)




Nota: Recomendamos cargar completamente el auricular cuando lo use por primera vez.

Estado del indicador LED

Cargando






Indicador LED verde de respiración

Carga completa






Indicador LED verde

Nota: Se necesitan 1,5 horas para cargar completamente los auriculares.

6 Control de llamadas




Articulo	Realizar
Silenciar/dessilenciar llamada	Presione ❶ .
Volumen arriba/abajo	Presione ❹ / ❺ .
Responder llamada	Presione ❷ .
Fin de la llamada	Presione ❷ .
Rechazar llamada	Doble-prensa ❷ .
Llamada de espera/desespera	- Presione durante ❷ segundos para mantener la llamada. - Presione durante ❷ seg o presione una vez para desbloquear la llamada.
Rellamada	Doble-prensa ❷ .

7 Ajustar auriculares


Soporte para uso de doble cara.








8 Reemplazar las Almohadillas Auriculares



9 Gestión de software



Descárguelo del sitio web de Yealink https://www.yealink.com/product/yuc.

CE

Declaration of Conformity

We,

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

Manufacturer: YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

CE DATE: 15 /April/2024

declare that the product

Type: DECT Wireless Headset

Model: WH64 Mono(WHM641)

meets the essential requirements and other relevant provisions according to the following EC directive

Directive: 2014/30/EU, 2014/35/EU,**RED 2014/53/EU;**

The presumption of conformity with the essential requirement is ensure according to :

Article 3.1 a :(protection of the health &the safety of the user)

Safety: **EN 62368-1:2020+A11:2020**

SAR: EN 50663:2017,EN 62479:2010,EN IEC 62311:2020,

Article 3.1 b :(protection requirement with respect to electromagnetic compatibility)

EMC: EN55032:2015+A1:2020，EN55035:2017+A11:2020，
EN IEC 61000-3-2:2019+A1:2021, EN 61000-3-3:2013+A2:2021,
EN301489-6 V2.2.1,EN301489-1 V2.2.3
ETSI EN 301 489-17 V3.2.4 For WHM641

Article 3.2 (effective use of the radio spectrum)

Radio: ETSI EN 301406 V2.2.2
ETSI EN300 328 V2.2.2 For WHM641

Harmonized：UN-EN62321

Directive 2011/65/EU and (EU)2015/863 of the European Parliament and of the Council of 8 June 2011 and 4 June 2015 on the restriction of the use of certain hazardous substances in electrical and electronic equipment(RoHS 2.0)

Directive 2012/19/EU of the European Parliament and of the Council of 4.July.2012 on Waste electrical and electronic equipment(WEEE)

Regulation (EC) No.1907/2006 of the European Parliament and of the Council of 18.December.2006 on Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH)

The declaration of conformity is issued under the sole responsibility of the manufacturer

NAME: Huahu Wang Huahu Wang

DATE: 15/APR/2024

TITLE: Manager

Addr. No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China
Tel: +86-592-5702000
Fax: +86-592-5702455

CE

Declaration of Conformity

We,

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

Manufacturer: YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

CE DATE: 15 /April/2024

declare that the product

Type: DECT Wireless Headset

Model: WH64 Dual(WHD642)

meets the essential requirements and other relevant provisions according to the following EC directive

Directive: 2014/30/EU, 2014/35/EU,**RED 2014/53/EU;**

The presumption of conformity with the essential requirement is ensure according to :

Article 3.1 a :(protection of the health &the safety of the user)

Safety: **EN 62368-1:2020+A11:2020**

SAR: EN 50663:2017,EN 62479:2010,EN IEC 62311:2020,

Article 3.1 b :(protection requirement with respect to electromagnetic compatibility)

EMC: EN55032:2015+A1:2020，EN55035:2017+A11:2020，
EN IEC 61000-3-2:2019+A1:2021, EN 61000-3-3:2013+A2:2021,
EN301489-6 V2.2.1,EN301489-1 V2.2.3
ETSI EN 301 489-17 V3.2.4 For WHD642

Article 3.2 (effective use of the radio spectrum)

Radio: ETSI EN 301406 V2.2.2
ETSI EN300 328 V2.2.2 For WHD642

Harmonized：UN-EN62321

Directive 2011/65/EU and (EU)2015/863 of the European Parliament and of the Council of 8 June 2011 and 4 June 2015 on the restriction of the use of certain hazardous substances in electrical and electronic equipment(RoHS 2.0)

Directive 2012/19/EU of the European Parliament and of the Council of 4.July.2012 on Waste electrical and electronic equipment(WEEE)

Regulation (EC) No.1907/2006 of the European Parliament and of the Council of 18.December.2006 on Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH)

The declaration of conformity is issued under the sole responsibility of the manufacturer

NAME: Huahu Wang

DATE: 15/ APR/2024

TITLE: Manager

CE

Declaration of Conformity

We,
YEALINK(XIAMEN) NETWORK TECHNOLOGY CO..LTD
Address: No.666 Hu'an Rd. Huli District Xiamen City Fujian P.R. China .
Manufacturer: YEALINK(XIAMEN) NETWORK TECHNOLOGY CO..LTD
Address: No.666 Hu'an Rd. Huli District Xiamen City. Fujian. P.R. China
CE DATE: 02 /September/2022
declare that the product
Type: DECT USB Dongle
Manager
Model: WDD60
meets the essential requirements and other relevant provisions according to the following EC directive Directive: 2014/30/EU, 2014/35/EU,RED 2014/53/EU;
The presumption of conformity with the essential requirement is ensure according to :

Article 3.1 a :(protection of the health &the safety of the user)
Safety: EN 62368-1:2020+A11:2020
SAR: EN IEC 62479:2020 ;EN 50663:2017
Article 3.1 b :(protection requirement with respect to electromagnetic compatibility)
EMC: EN55032:201S+A1:2020, EN55035:2017+A11:2020,
EN IEC 61000-3-2:2019+A1:2021, EN 61000-3-3:2013+A2:2021,
EN301489-6 V2.2.1, EN301489-1 V2.2.3
Article 3.2 (effective use of the radio spectrum)
Radio: ETSI EN 301406 V2.2.2
Harmonized: UN-EN62321

Directive 2011/65/EU and (EU)2015/863 of the European Parliament and of the Council of 8 June 2011 and 4 June 2015 on the restriction of the use of certain hazardous substances in electrical and electronic equipment(RoHS 2.0)
Directive 2012/19/EU of the European Parliament and of the Council of 4.July.2012 on Waste electrical and electronic equipment(WEEE)
Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18.December.2006 on Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH)
The declaration of conformity is issued under the sole responsibility of the manufacturer

NAME: Huahu Wang
DATE: 30/Sep/2022.

TITLE: Manager

About Yealink

Yealink (Stock Code: 300628) is a global-leading provider of Unified Communication & Collaboration Solutions specialized in video conferencing, voice communications, and collaboration, dedicated to helping every person and organization embrace the power of "Easy Collaboration, High Productivity".
With best-in-class quality, innovative technology, and user-friendly experiences, Yealink is one of the best providers in more than 140 countries and regions, ranks No.1 in the global market share of IP Phone, and is the Top 5 leader in the video conferencing market (Frost & Sullivan, 2021).

Copyright

Copyright © 2024 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.
All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Please scan the QR code to see the User Guide

430104002723

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Copyright©2024YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD. All rights reserved.